

NumPy for MATLAB users

Help

MATLAB/Octave	Python	Description
doc	help()	Browse help interactively
help -i % browse with Info		
help help <i>or</i> doc doc	help	Help on using help
help plot	help(plot) <i>or</i> ?plot	Help for a function
help splines <i>or</i> doc splines	help(pylab)	Help for a toolbox/library package
demo		Demonstration examples

Searching available documentation

MATLAB/Octave	Python	Description
lookfor plot		Search help files
help	help(); modules [Numeric]	List available packages
which plot	help(plot)	Locate functions

Using interactively

MATLAB/Octave	Python	Description
octave -q	ipython -pylab	Start session
TAB <i>or</i> M-?	TAB	Auto completion
foo(.m)	execfile('foo.py') <i>or</i> run foo.py	Run code from file
history	hist -n	Command history
diary on [...] diary off		Save command history
exit <i>or</i> quit	CTRL-D CTRL-Z # windows sys.exit()	End session

Operators

MATLAB/Octave	Python	Description
help -		Help on operator syntax

Arithmetic operators

MATLAB/Octave	Python	Description
a=1; b=2;	a=1; b=1	Assignment; defining a number
a + b	a + b <i>or</i> add(a,b)	Addition
a - b	a - b <i>or</i> subtract(a,b)	Subtraction
a * b	a * b <i>or</i> multiply(a,b)	Multiplication
a / b	a / b <i>or</i> divide(a,b)	Division
a .^ b	a ** b power(a,b) pow(a,b)	Power, \$a^b\$
rem(a,b)	a % b remainder(a,b) fmod(a,b)	Remainder
a+=1	a+=b <i>or</i> add(a,b,a)	In place operation to save array creation overhead
factorial(a)		Factorial, \$n!\$

Relational operators

MATLAB/Octave	Python	Description
a == b	a == b <i>or</i> equal(a,b)	Equal
a < b	a < b <i>or</i> less(a,b)	Less than
a > b	a > b <i>or</i> greater(a,b)	Greater than
a <= b	a <= b <i>or</i> less_equal(a,b)	Less than or equal
a >= b	a >= b <i>or</i> greater_equal(a,b)	Greater than or equal
a ~= b	a != b <i>or</i> not_equal(a,b)	Not Equal

Logical operators

MATLAB/Octave	Python	Description
a && b	a and b	Short-circuit logical AND
a b	a or b	Short-circuit logical OR
a & b <i>or</i> and(a,b)	logical_and(a,b) <i>or</i> a and b	Element-wise logical AND
a b <i>or</i> or(a,b)	logical_or(a,b) <i>or</i> a or b	Element-wise logical OR
xor(a, b)	logical_xor(a,b)	Logical EXCLUSIVE OR
~a <i>or</i> not(a)	logical_not(a) <i>or</i> not a	Logical NOT
~a <i>or</i> !a		
any(a)		True if any element is nonzero
all(a)		True if all elements are nonzero

root and logarithm

MATLAB/Octave	Python	Description
<code>sqrt(a)</code>	<code>math.sqrt(a)</code>	Square root
<code>log(a)</code>	<code>math.log(a)</code>	Logarithm, base e (natural)
<code>log10(a)</code>	<code>math.log10(a)</code>	Logarithm, base 10
<code>log2(a)</code>	<code>math.log(a, 2)</code>	Logarithm, base 2 (binary)
<code>exp(a)</code>	<code>math.exp(a)</code>	Exponential function

Round off

MATLAB/Octave	Python	Description
<code>round(a)</code>	<code>around(a) or math.round(a)</code>	Round
<code>ceil(a)</code>	<code>ceil(a)</code>	Round up
<code>floor(a)</code>	<code>floor(a)</code>	Round down
<code>fix(a)</code>	<code>fix(a)</code>	Round towards zero

Mathematical constants

MATLAB/Octave	Python	Description
<code>pi</code>	<code>math.pi</code>	$\pi = 3.141592$
<code>exp(1)</code>	<code>math.e or math.exp(1)</code>	$e = 2.718281$

Missing values; IEEE-754 floating point status flags

MATLAB/Octave	Python	Description
<code>NaN</code>	<code>nan</code>	Not a Number
<code>Inf</code>	<code>inf</code>	Infinity, ∞
	<code>plus_inf</code>	Infinity, $+\infty$
	<code>minus_inf</code>	Infinity, $-\infty$
	<code>plus_zero</code>	Plus zero, $+0$
	<code>minus_zero</code>	Minus zero, -0

Complex numbers

MATLAB/Octave	Python	Description
<code>i</code>	<code>z = 1j</code>	Imaginary unit
<code>z = 3+4i</code>	<code>z = 3+4j or z = complex(3,4)</code>	A complex number, $3+4i$
<code>abs(z)</code>	<code>abs(3+4j)</code>	Absolute value (modulus)
<code>real(z)</code>	<code>z.real</code>	Real part
<code>imag(z)</code>	<code>z.imag</code>	Imaginary part
<code>arg(z)</code>		Argument

<code>conj(z)</code>	<code>z.conj(); z.conjugate()</code>	Complex conjugate
----------------------	--------------------------------------	-------------------

Trigonometry

MATLAB/Octave	Python	Description
<code>atan(a,b)</code>	<code>atan2(b,a)</code>	Arctangent, $\arctan(b/a)$
	<code>hypot(x,y)</code>	Hypotenuse; Euclidean distance

Generate random numbers

MATLAB/Octave	Python	Description
<code>rand(1,10)</code>	<code>random.random((10,))</code> <code>random.uniform((10,))</code>	Uniform distribution
<code>2+5*rand(1,10)</code>	<code>random.uniform(2,7,(10,))</code>	Uniform: Numbers between 2 and 7
<code>rand(6)</code>	<code>random.uniform(0,1,(6,6))</code>	Uniform: 6,6 array
<code>randn(1,10)</code>	<code>random.standard_normal((10,))</code>	Normal distribution

Vectors

MATLAB/Octave	Python	Description
<code>a=[2 3 4 5];</code>	<code>a=array([2,3,4,5])</code>	Row vector, $1 \times n$ -matrix
<code>adash=[2 3 4 5]';</code>	<code>array([2,3,4,5])[:,NewAxis]</code> <code>array([2,3,4,5]).reshape(-1,1)</code> <code>r_[1:10,'c']</code>	Column vector, $m \times 1$ -matrix

Sequences

MATLAB/Octave	Python	Description
<code>1:10</code>	<code>arange(1,11, dtype=Float)</code> <code>range(1,11)</code>	1,2,3, ...,10
<code>0:9</code>	<code>arange(10.)</code>	0.0,1.0,2.0, ...,9.0
<code>1:3:10</code>	<code>arange(1,11,3)</code>	1,4,7,10
<code>10:-1:1</code>	<code>arange(10,0,-1)</code>	10,9,8, ...,1
<code>10:-3:1</code>	<code>arange(10,0,-3)</code>	10,7,4,1
<code>linspace(1,10,7)</code>	<code>linspace(1,10,7)</code>	Linearly spaced vector of n=7 points
<code>reverse(a)</code>	<code>a[::-1] or</code>	Reverse
<code>a(:) = 3</code>	<code>a.fill(3), a[:] = 3</code>	Set all values to same scalar value

Concatenation (vectors)

MATLAB/Octave	Python	Description
[a a]	concatenate((a,a))	Concatenate two vectors
[1:4 a]	concatenate((range(1,5),a), axis=1)	

Repeating

MATLAB/Octave	Python	Description
[a a]	concatenate((a,a))	1 2 3, 1 2 3
	a.repeat(3) or	1 1 1, 2 2 2, 3 3 3
	a.repeat(a) or	1, 2 2, 3 3 3

Miss those elements out

MATLAB/Octave	Python	Description
a(2:end)	a[1:]	miss the first element
a([1:9])		miss the tenth element
a(end)	a[-1]	last element
a(end-1:end)	a[-2:]	last two elements

Maximum and minimum

MATLAB/Octave	Python	Description
max(a,b)	maximum(a,b)	pairwise max
max([a b])	concatenate((a,b)).max()	max of all values in two vectors
[v, i] = max(a)	v, i = a.max(0), a.argmax(0)	

Vector multiplication

MATLAB/Octave	Python	Description
a.*a	a*a	Multiply two vectors
dot(u,v)	dot(u,v)	Vector dot product, \$u \cdot v\$

Matrices

MATLAB/Octave	Python	Description
a = [2 3;4 5]	a = array([[2,3],[4,5]])	Define a matrix

Concatenation (matrices); rbind and cbind

MATLAB/Octave	Python	Description
[a ; b]	concatenate((a,b), axis=0) vstack((a,b))	Bind rows
[a , b]	concatenate((a,b), axis=1) hstack((a,b))	Bind columns
	concatenate((a,b), axis=2) dstack((a,b))	Bind slices (three-way arrays)
[a(:), b(:)]	concatenate((a,b), axis=None)	Concatenate matrices into one vector
[1:4 ; 1:4]	concatenate((r_[1:5],r_[1:5])).reshape(2,-1) vstack((r_[1:5],r_[1:5]))	Bind rows (from vectors)
[1:4 ; 1:4]'		Bind columns (from vectors)

Array creation

MATLAB/Octave	Python	Description
zeros(3,5)	zeros((3,5),Float)	0 filled array
	zeros((3,5))	0 filled array of integers
ones(3,5)	ones((3,5),Float)	1 filled array
ones(3,5)*9		Any number filled array
eye(3)	identity(3)	Identity matrix
diag([4 5 6])	diag((4,5,6))	Diagonal
magic(3)		Magic squares; Lo Shu
	a = empty((3,3))	Empty array

Reshape and flatten matrices

MATLAB/Octave	Python	Description
reshape(1:6,3,2) ';	arange(1,7).reshape(2,-1) a.setshape(2,3)	Reshaping (rows first)
reshape(1:6,2,3);	arange(1,7).reshape(-1,2).transpose()	Reshaping (columns first)
a'(:)	a.flatten() or	Flatten to vector (by rows, like comics)
a(:)	a.flatten(1)	Flatten to vector (by columns)
vech(a)		Flatten upper triangle (by columns)

Shared data (slicing)

MATLAB/Octave	Python	Description
b = a	b = a.copy()	Copy of a

Indexing and accessing elements (Python: slicing)

MATLAB/Octave	Python	Description
a = [11 12 13 14 ... 21 22 23 24 ... 31 32 33 34]	a = array([[11, 12, 13, 14], [21, 22, 23, 24], [31, 32, 33, 34]])	Input is a 3,4 array
a(2,3)	a[1,2]	Element 2,3 (row,col)
a(:,1)	a[:,0]	First row
a(:,1)	a[:,0]	First column
a([1 3],[1 4]);	a.take([0,2]).take([0,3], axis=1)	Array as indices
a(2:end,:)	a[1:,:]	All, except first row
a(end-1:end,:)	a[-2:,:]	Last two rows
a(1:2:end,:)	a[::2,:]	Strides: Every other row
	a[...,2]	Third in last dimension (axis)
a(:,[1 3 4])	a.take([0,2,3],axis=1)	Remove one column
	a.diagonal(offset=0)	Diagonal

Assignment

MATLAB/Octave	Python	Description
a(:,1) = 99	a[:,0] = 99	
a(:,1) = [99 98 97] '	a[:,0] = array([99,98,97])	
a(a>90) = 90;	(a>90).choose(a,90) a.clip(min=None, max=90)	Clipping: Replace all elements over 90
	a.clip(min=2, max=5)	Clip upper and lower values

Transpose and inverse

MATLAB/Octave	Python	Description
a'	a.conj().transpose()	Transpose
a.' or transpose(a)	a.transpose()	Non-conjugate transpose
det(a)	linalg.det(a) or	Determinant
inv(a)	linalg.inv(a) or	Inverse
pinv(a)	linalg.pinv(a)	Pseudo-inverse
norm(a)	norm(a)	Norms
eig(a)	linalg.eig(a)[0]	Eigenvalues
svd(a)	linalg.svd(a)	Singular values
chol(a)	linalg.cholesky(a)	Cholesky factorization
[v,l] = eig(a)	linalg.eig(a)[1]	Eigenvectors
rank(a)	rank(a)	Rank

Sum

MATLAB/Octave	Python	Description
<code>sum(a)</code>	<code>a.sum(axis=0)</code>	Sum of each column
<code>sum(a')</code>	<code>a.sum(axis=1)</code>	Sum of each row
<code>sum(sum(a))</code>	<code>a.sum()</code>	Sum of all elements
	<code>a.trace(offset=0)</code>	Sum along diagonal
<code>cumsum(a)</code>	<code>a.cumsum(axis=0)</code>	Cumulative sum (columns)

Sorting

MATLAB/Octave	Python	Description
<code>a = [4 3 2 ; 2 8 6 ; 1 4 7]</code>	<code>a = array([[4,3,2],[2,8,6],[1,4,7]])</code>	Example data
<code>sort(a(:))</code>	<code>a.ravel().sort() or</code>	Flat and sorted
<code>sort(a)</code>	<code>a.sort(axis=0) or msort(a)</code>	Sort each column
<code>sort(a')'</code>	<code>a.sort(axis=1)</code>	Sort each row
<code>sortrows(a,1)</code>	<code>a[a[:,0].argsort(),:]</code>	Sort rows (by first row)
	<code>a.ravel().argsort()</code>	Sort, return indices
	<code>a.argsort(axis=0)</code>	Sort each column, return indices
	<code>a.argsort(axis=1)</code>	Sort each row, return indices

Maximum and minimum

MATLAB/Octave	Python	Description
<code>max(a)</code>	<code>a.max(0) or amax(a [,axis=0])</code>	max in each column
<code>max(a')</code>	<code>a.max(1) or amax(a, axis=1)</code>	max in each row
<code>max(max(a))</code>	<code>a.max() or</code>	max in array
<code>[v i] = max(a)</code>		return indices, i
<code>max(b,c)</code>	<code>maximum(b,c)</code>	pairwise max
<code>cummax(a)</code>		
	<code>a.ptp(); a.ptp(0)</code>	max-to-min range

Matrix manipulation

MATLAB/Octave	Python	Description
<code>fliplr(a)</code>	<code>fliplr(a) or a[:,::-1]</code>	Flip left-right
<code>flipud(a)</code>	<code>flipud(a) or a[::-1,:]</code>	Flip up-down
<code>rot90(a)</code>	<code>rot90(a)</code>	Rotate 90 degrees
<code>repmat(a,2,3)</code>	<code>kron(ones((2,3)),a)</code>	Repeat matrix: [a a a ; a a a]
<code>kron(ones(2,3),a)</code>		

<code>triu(a)</code>	<code>triu(a)</code>	Triangular, upper
<code>tril(a)</code>	<code>tril(a)</code>	Triangular, lower

Equivalents to "size"

MATLAB/Octave	Python	Description
<code>size(a)</code>	<code>a.shape or a.getshape()</code>	Matrix dimensions
<code>size(a,2) or length(a)</code>	<code>a.shape[1] or size(a, axis=1)</code>	Number of columns
<code>length(a(:))</code>	<code>a.size or size(a[, axis=None])</code>	Number of elements
<code>ndims(a)</code>	<code>a.ndim</code>	Number of dimensions
	<code>a.nbytes</code>	Number of bytes used in memory

Matrix- and elementwise- multiplication

MATLAB/Octave	Python	Description
<code>a .* b</code>	<code>a * b or multiply(a,b)</code>	Elementwise operations
<code>a * b</code>	<code>matrixmultiply(a,b)</code>	Matrix product (dot product)
	<code>inner(a,b) or</code>	Inner matrix vector multiplication \$a\cdot b'\$
	<code>outer(a,b) or</code>	Outer product
<code>kron(a,b)</code>	<code>kron(a,b)</code>	Kronecker product
<code>a / b</code>		Matrix division, \$b\cdot a^{-1}\$
<code>a \ b</code>	<code>linalg.solve(a,b)</code>	Left matrix division, \$b^{-1}\cdot a\$ \newline (solve linear equations)
	<code>vdot(a,b)</code>	Vector dot product
	<code>cross(a,b)</code>	Cross product

Find; conditional indexing

MATLAB/Octave	Python	Description
<code>find(a)</code>	<code>a.ravel().nonzero()</code>	Non-zero elements, indices
<code>[i j] = find(a)</code>	<code>(i,j) = a.nonzero()</code> <code>(i,j) = where(a!=0)</code>	Non-zero elements, array indices
<code>[i j v] = find(a)</code>	<code>v = a.compress((a!=0).flat)</code> <code>v = extract(a!=0,a)</code>	Vector of non-zero values
<code>find(a>5.5)</code>	<code>(a>5.5).nonzero()</code> <code>a.compress((a>5.5).flat)</code>	Condition, indices Return values
<code>a .* (a>5.5)</code>	<code>where(a>5.5,0,a) or a * (a>5.5)</code> <code>a.put(2,indices)</code>	Zero out elements above 5.5 Replace values

Multi-way arrays

MATLAB/Octave	Python	Description
a = cat(3, [1 2; 1 2], [3 4; 3 4]); a(:,:,1)	a = array([[[1,2],[1,2]],[[3,4],[3,4]]]) a[0,...]	Define a 3-way array

File input and output

MATLAB/Octave	Python	Description
f = load('data.txt')	f = fromfile("data.txt") f = load("data.txt")	Reading from a file (2d)
f = load('data.txt')	f = load("data.txt")	Reading from a file (2d)
x = dlmread('data.csv', ';')	f = load('data.csv', delimiter=';')	Reading from a CSV file (2d)
save -ascii data.txt f	save('data.csv', f, fmt='%.6f', delimiter=';')	Writing to a file (2d)
	f.tofile(file='data.csv', format='%.6f', sep=';')	Writing to a file (1d)
	f = fromfile(file='data.csv', sep=';')	Reading from a file (1d)

Plotting

Basic x-y plots

MATLAB/Octave	Python	Description
plot(a)	plot(a)	1d line plot
plot(x(:,1),x(:,2), 'o')	plot(x[:,0],x[:,1], 'o')	2d scatter plot
plot(x1,y1, x2,y2)	plot(x1,y1, 'bo', x2,y2, 'go')	Two graphs in one plot
plot(x1,y1) hold on plot(x2,y2)	plot(x1,y1, 'o') plot(x2,y2, 'o') show() # as normal	Overplotting: Add new plots to current
subplot(211)	subplot(211)	subplots
plot(x,y, 'ro-')	plot(x,y, 'ro-')	Plotting symbols and color

Axes and titles

MATLAB/Octave	Python	Description
grid on	grid()	Turn on grid lines
axis equal	figure(figsize=(6,6))	1:1 aspect ratio
axis('equal')		

replot

```
axis([ 0 10 0 5 ])
```

```
axis([ 0, 10, 0, 5 ])
```

Set axes manually

```
title('title')
xlabel('x-axis')
ylabel('y-axis')
```

Axis labels and titles

```
text(2,25,'hello')
```

Insert text

Log plots

MATLAB/Octave

```
semilogy(a)
```

```
semilogx(a)
```

```
loglog(a)
```

Python

```
semilogy(a)
```

```
semilogx(a)
```

```
loglog(a)
```

Description

logarithmic y-axis

logarithmic x-axis

logarithmic x and y axes

Filled plots and bar plots

MATLAB/Octave

```
fill(t,s,'b', t,c,'g')
```

% fill has a bug?

Python

```
fill(t,s,'b', t,c,'g',
```

alpha=0.2)

Description

Filled plot

Functions

MATLAB/Octave

```
f = inline('sin(x/3) -
cos(x/5)')
```

```
ezplot(f,[0,40])
```

```
fplot('sin(x/3) - cos(x/5)', [0,40])
```

% no ezplot

Python

```
x = arrayrange(0,40,.5)
y = sin(x/3) - cos(x/5)
plot(x,y, 'o')
```

Description

Defining functions

Plot a function for given range

Polar plots

MATLAB/Octave

```
theta = 0:.001:2*pi;
r = sin(2*theta);
```

```
polar(theta, rho)
```

Python

```
theta = arange(0,2*pi,0.001)
r = sin(2*theta)
```

Description

Histogram plots

MATLAB/Octave

```
hist(randn(1000,1))
```

```
hist(randn(1000,1), -4:4)
```

Python**Description**

```
plot(sort(a))
```

3d data

Contour and image plots

MATLAB/Octave	Python	Description
contour(z)	levels, colls = contour(Z, V, origin='lower', extent= (-3,3,-3,3)) clabel(colls, levels, inline=1, fmt='%1.1f', fontsize=10)	Contour plot
contourf(z); colormap(gray)	contourf(Z, V, cmap=cm.gray, origin='lower', extent=(-3,3,-3,3))	Filled contour plot
image(z) colormap(gray)	im = imshow(Z, interpolation='bilinear', origin='lower', extent=(-3,3,-3,3)) # imshow() and contour() as above	Plot image data Image with contours
quiver()	quiver()	Direction field vectors

Perspective plots of surfaces over the x-y plane

MATLAB/Octave	Python	Description
n=-2:.1:2; [x,y] = meshgrid(n,n); z=x.*exp(-x.^2-y.^2);	n=arrayrange(-2,2,.1) [x,y] = meshgrid(n,n) z = x*power(math.e,-x**2-y**2)	
mesh(z) surf(x,y,z) <i>or</i> surfl(x,y,z) <i>% no surfl()</i>		Mesh plot Surface plot

Scatter (cloud) plots

MATLAB/Octave	Python	Description
plot3(x,y,z, 'k+')		3d scatter plot

Save plot to a graphics file

MATLAB/Octave	Python	Description
plot(1:10) print -depsc2 foo.eps	savefig('foo.eps')	PostScript

<code>gset output "foo.eps"</code>		
<code>gset terminal postscript eps</code>	<code>savefig('foo.pdf')</code>	PDF
<code>plot(1:10)</code>		
<code>print -dpng foo.png</code>	<code>savefig('foo.svg')</code>	SVG (vector graphics for www)
	<code>savefig('foo.png')</code>	PNG (raster graphics)

Data analysis

Set membership operators

MATLAB/Octave	Python	Description
<code>a = [1 2 2 5 2];</code> <code>b = [2 3 4];</code>	<code>a = array([1,2,2,5,2])</code> <code>b = array([2,3,4])</code> <code>a = set([1,2,2,5,2])</code> <code>b = set([2,3,4])</code>	Create sets
<code>unique(a)</code>	<code>unique1d(a)</code> <code>unique(a)</code> <code>set(a)</code>	Set unique
<code>union(a,b)</code>	<code>union1d(a,b)</code> <code>a.union(b)</code>	Set union
<code>intersect(a,b)</code>	<code>intersect1d(a)</code> <code>a.intersection(b)</code>	Set intersection
<code>setdiff(a,b)</code>	<code>setdiff1d(a,b)</code> <code>a.difference(b)</code>	Set difference
<code>setxor(a,b)</code>	<code>setxor1d(a,b)</code> <code>a.symmetric_difference(b)</code>	Set exclusion
<code>ismember(2,a)</code>	<code>2 in a</code> <code>setmember1d(2,a)</code> <code>contains(a,2)</code>	True for set member

Statistics

MATLAB/Octave	Python	Description
<code>mean(a)</code>	<code>a.mean(axis=0)</code> <code>mean(a [,axis=0])</code>	Average
<code>median(a)</code>	<code>median(a) or median(a [,axis=0])</code>	Median
<code>std(a)</code>	<code>a.std(axis=0) or std(a [,axis=0])</code>	Standard deviation
<code>var(a)</code>	<code>a.var(axis=0) or var(a)</code>	Variance
<code>corr(x,y)</code>	<code>correlate(x,y) or corrcoef(x,y)</code>	Correlation coefficient
<code>cov(x,y)</code>	<code>cov(x,y)</code>	Covariance

Interpolation and regression

MATLAB/Octave	Python	Description
<code>z = polyval(polyfit(x,y,1),x)</code> <code>plot(x,y,'o', x,z ,'-')</code>	<code>(a,b) = polyfit(x,y,1)</code> <code>plot(x,y,'o', x,a*x+b,'-')</code>	Straight line fit
<code>a = x\y</code>	<code>linalg.lstsq(x,y)</code>	Linear least squares $y = ax + b$
<code>polyfit(x,y,3)</code>	<code>polyfit(x,y,3)</code>	Polynomial fit

Non-linear methods

Polynomials, root finding

MATLAB/Octave	Python	Description
	<code>poly()</code>	Polynomial
<code>roots([1 -1 -1])</code>	<code>roots()</code>	Find zeros of polynomial
<code>f = inline('1/x - (x-1)')</code> <code>fzero(f,1)</code>		Find a zero near $x = 1$
<code>solve('1/x = x-1')</code>		Solve symbolic equations
<code>polyval([1 2 1 2],1:10)</code>	<code>polyval(array([1,2,1,2]),arange(1,11))</code>	Evaluate polynomial

Differential equations

MATLAB/Octave	Python	Description
<code>diff(a)</code>	<code>diff(x, n=1, axis=0)</code>	Discrete difference function and approximate derivative
		Solve differential equations

Fourier analysis

MATLAB/Octave	Python	Description
<code>fft(a)</code>	<code>fft(a) or</code>	Fast fourier transform
<code>ifft(a)</code>	<code>ifft(a) or</code>	Inverse fourier transform
	<code>convolve(x,y)</code>	Linear convolution

Symbolic algebra; calculus

MATLAB/Octave	Python	Description
<code>factor()</code>		Factorization

Programming

MATLAB/Octave	Python	Description

.m	.py	Script file extension
%	#	Comment symbol (rest of line)
% or #		
% must be in MATLABPATH % must be in LOADPATH	from pylab import *	Import library functions
string='a=234'; eval(string)	string="a=234" eval(string)	Eval

Loops

MATLAB/Octave	Python	Description
for i=1:5; disp(i); end	for i in range(1,6): print(i)	for-statement
for i=1:5 disp(i) disp(i*2) end	for i in range(1,6): print(i) print(i*2)	Multiline for statements

Conditionals

MATLAB/Octave	Python	Description
if 1>0 a=100; end	if 1>0: a=100	if-statement
if 1>0 a=100; else a=0; end		if-else-statement

Debugging

MATLAB/Octave	Python	Description
ans		Most recent evaluated expression
whos or who		List variables loaded into memory
clear x or clear [all]		Clear variable \$x\$ from memory
disp(a)	print a	Print

Working directory and OS

MATLAB/Octave	Python	Description
dir or ls	os.listdir(".")	List files in directory
what	grep.grep("*.py")	List script files in directory
pwd	os.getcwd()	Displays the current working directory
cd foo	os.chdir('foo')	Change working directory
!notepad	os.system('notepad')	Invoke a System Command
system("notepad")	os.popen('notepad')	

Time-stamp: "2007-11-09T16:46:36 vidar"
©2006 Vidar Bronken Gundersen, /mathesaurus.sf.net
Permission is granted to copy, distribute and/or modify this document as long as the above attribution is retained.